[Total No. of Questions - 9] [Total No. of Printed Pages - 4]

Dec-24-0276 (CBCS) MA-101 (Engineering Mathematics-I) (A&B) B.Tech. 1st

Time: 3 Hours Max. Marks: 60

The candidates shall limit their answers precisely within the answerbook (40 pages) issued to them and no supplementary/continuation sheet will be issued.

Note: Attempt Five questions in all, selecting one question each from section A, B, C and D. Q. No. 9 is compulsory.

SECTION - A

1. (a) Reduce the matrix to normal form and hence find the rank of the matrix.

$$\begin{bmatrix}
2 & 3 & -1 & -1 \\
1 & -1 & -2 & -4 \\
3 & 1 & 3 & -2 \\
6 & 3 & 0 & -7
\end{bmatrix}$$
(5)

- (b) Show that the vectors $X_1 = (2, -1, 4)$, $X_2 = (0, 1, 2)$, $X_3 = (6, -1, 16)$ are linearly dependent and find a relation between them. (5)
- 2. (a) Show that the equations 3x+4y+5z+=a, 4x+5y+6z=b, 5x+6y+7z=c do not have a solution unless a+c=2b. (5)
 - (b) Find the eigen values and eigen vectors of the matrices

$$A = \begin{bmatrix} 6 & -2 & 2 \\ -2 & 3 & -1 \\ 2 & -1 & 3 \end{bmatrix}$$
 (5)

SECTION - B

3. (a) If $i^{\alpha+\beta} = \alpha + i\beta$, prove that $\alpha^2 + \beta^2 = e^{-(4n+1)\pi\beta}$. (5)

(b) If $tan(\theta + i\phi) = cos \alpha + i sin \alpha$, prove that

(i)
$$\theta = \frac{n\pi}{2} + \frac{\pi}{4}$$
 (ii) $\phi = \frac{1}{2} \log \tan \left(\frac{\pi}{4} + \frac{\alpha}{2} \right)$ (5)

4. (a) Find the sum of the series

(b) Determine the analytic function whose real part is $e^{2x}(x\cos 2y - y\sin 2y)$. (5)

SECTION - C

5. (a) If u = f(r) and $x = r\cos\theta$, $y=r\sin\theta$, prove that $\frac{\partial^2 u}{\partial x^2} + \frac{\partial^2 u}{\partial y^2} = f''(r) + \frac{1}{f}f'(r). \tag{5}$

(b) If
$$u = \csc^{-1} \left(\frac{x^{1/2} + y^{1/2}}{x^{1/3} + y^{1/3}} \right)^{1/2}$$
, prove that

$$x^{2} \frac{\partial^{2} u}{\partial x^{2}} + 2xy \frac{\partial^{2} u}{\partial x \partial y} + y^{2} \frac{\partial^{2} u}{\partial y^{2}} = \frac{\tan u}{144} (13 + \tan^{2} u)$$
 (5)

6. (a) Evaluate $\int_0^1 \int_0^{\sqrt{1-x^2}} \int_0^{\sqrt{1-x^2-y^2}} \frac{dzdydx}{\sqrt{1-x^2-y^2-z^2}}$, by changing to spherical polar co-ordinates. (5)

(b) Find the volume bounded by the cylinder $x^2 + y^2 = 4$ and the planes y + z = 4 and z = 0. (5)

[P.T.O.]

SECTION - D

7. (a) Prove that
$$\operatorname{div}\left(\frac{\vec{r}}{r^3}\right) = 0$$
 (5)

- (b) Show that the surfaces $5x^2 2yz 9x = 0$ and $4x^2y + z^3 4 = 0$ are orthogonal at the point (1, -1, 2). (5)
- 8. (a) A vector field is given by $\vec{F} = (\sin y)\hat{i} + x(1 + \cos y)\hat{j}$. Evaluate the line integral over the circular path given by $x^2 + y^2 = a^2$, z = 0. (5)
 - (b) Use divergence theorem to evaluate $\iint_s \vec{F} \cdot \hat{n} dS$, where $\vec{F} = x^3 \hat{i} + x^2 y \hat{j} + x^2 z \hat{k}$ and S is the surface bounding the region $x^2 + y^2 = a^2$, z = 0, z = b. (5)

SECTION - E (Compulsory question)

- 9. (a) Define rank of a matrix and write the procedure to find the rank of a matrix.
 - (b) Prove that the eigen values of a matrix is the sum of the elements on the principal diagonal.(c) Split up into a sixty of the sum of
 - (c) Split up into real and imaginary parts: coth(x + iy).
 - (d) Prove that $\cos z$ is not bounded, where z = x + iy is a
 - (e) If $u = x^y$, show that $\frac{\partial^3 u}{\partial x^2 \partial y} = \frac{\partial^3 u}{\partial x \partial y \partial x}$.